

Copper output rate of 6-core optical cable



Overview

The optical interface supports bit rates of 53.125 GBaud PAM-4 per lane (106.25 Gbps/lane) and link reach up to 50m over OM4/OM5 MMF, 30m over OM3 MMF. Home / Products / Copper / Category 6+ UTP Copper Cable Construction: Category 6+ Electrical characteristics*: *Discrete values are for information only. Equations for swept frequencies govern limits. QDD-400-CuxM cables are suitable for very short links and offer a cost-effective way to establish a 400-Gigabit link between QSFP-DD 400G ports of switches/routers within racks and across adjacent racks. FEC. rely for the "Fiber to the Home" market. The copper partition consists of Leviton Category 6 U/UTP cable, which supports Gigabit Ethernet, Power over Ethernet, voice, and broadband video transmissions at frequencies up to 250MHz. With fast transmission and excellent signal quality, it ensures peak performance through. Material: Joints: Diameter: Tolerance: Tensile Strength: Elongation: Max. DC resistance: Laminated Shielding Tape (LST). The copper conductors shall be twisted in pairs, separated by a cross divider and covered by a low smoke zero halogen or UTP Copper Cabling System. Interoperable and backward compatible, this end-to-end system provides design flexibility to protect network investments.



Article Content

Dec 06, 2025

Cat6 UTP Patch Cables

Design for computer, hubs, switches, routers, DSL/cable modems and patch panel in Gigabit datacenter application. With fast transmission and excellent signal quality, it ensures peak performance through ...

Feb 04, 2026

Category 6 U/UTP Copper/Optical Hybrid Cable

Cat 6 U/UTP consists of: 4 unshielded twisted pairs cabled together 23 AWG solid annealed copper wire with polyolefin core insulation Central cross filler – for increased internal crosstalk performance ...

Jan 24, 2026

RG6USpec

LST Overlaps the dielectric circumference by 18% minimum to 35% maximum The LST is applied longitudinally to the dielectric and is free of creases or twists over the entire length.

Oct 23, 2025

6 Core Optical Fiber Cable_Specification

Specifications are correct at time of printing and subject to change or alteration without notice.

Aug 22, 2025

Cisco 400G QSFP-DD Cable and Transceiver Modules Data Sheet

The Cisco 400G QDD-4ZQ100-CUxM passive copper cable (Figure 2) enables high-bandwidth breakout from a 400G port to four 100GE links. It provides a QSFP-DD-to-4x QSFP56 ...

Sep 25, 2025

Category 6+ UTP Copper Cable

Sweep tested to 500 MHz and compliant to Category 6 ANSI/TIA-568.2-D cable requirements Components are twisted into pairs with varying left-hand lays to minimize cross-talk

Mar 01, 2026

Category 6 UTP Copper Cable

Cable has been tested as part of the TX6™ Category 6 UTP Copper Cabling System by an independent laboratory and complies with the electrical channel requirements of the following ...

Jun 17, 2026

Fiber Optic Cables

CommScope designs and manufactures a comprehensive line of fiber optic cables—from outside plant to indoor/outdoor and fire-rated indoor fiber cables.

Dec 18, 2025

ANSI/TIA-568.3-E: Optical Fiber Cabling and Components Standard

Scope: This Standard specifies performance, transmission, and test and measurement requirements for premises optical fiber cable, connectors, connecting hardware, and patch cords.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://ntmmgroup.co.za>

Email: sales@ntmmgroup.co.za

Phone: +27 82 471 2596

Address: Unit 7, Optic Park, 24 High-Tech Lane, Century City, Cape Town, 7441, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

