

Distance of AdSS fiber optic cable hanging point



Overview

The hanging distance of the optical cable hook is required to be 50 cm with an allowable deviation of no more than ± 3 cm. This guide provides general recommendations for the selection of methods, equipment, and tools for the stringing of ADSS (All Dielectric Self-supporting) fiber optic cables including short and Long Span ADSS cables.

2 Selection of optical cable hanging point Since the high-voltage induced electric field has strong electrical corrosion to the optical cable, the optical cable hanging point should. ADSS fiber cable works in an overhead state with two points of support over a large span (usually hundreds of meters, or even more than 1 kilometer), which is completely different from the traditional concept of "overhead" (the standard overhead suspension wire hooking procedure of the post and. This procedure provides general information for installing all Corning Optical Communications Solo® ADSS All-Dielectric Self-Supporting fiber optic cables from 2-288 fibers. Each installation will be influenced by local conditions. The reader should be experienced in aerial fiber optic cable. Deploying fiber above ground on poles or towers removes the need for underground digging and is particularly useful when the ground is uneven, rocky or both. Since there are numerous practices which may be utilized, Prysmian has tested and determined that the practices described herein are effective and efficient.



Article Content

Mar 27, 2026

ADSS optical cable construction and precautions

2.1 Safety distance for live line tower operation The location selection of the optical cable hanging point satisfies the safety distance requirement of "working on live line towers". (Minimum ...

Aug 26, 2025

ADSS Fiber Optic Cables

The ADSS cable reel (pay-off) must be located directly in line with the first traveler and must be back from the structure four times the height of the traveler (4:1 distance to height ratio).

Aug 11, 2025

ADSS Fiber Optic Cable Installation and Maintenance Tips

From my experiences working with Indian customers, they often need custom cable lengths because each project has unique route ...

Aug 24, 2025

Main Technical Parameters of ADSS Fiber Cable

In layman's terms, the excess length of the optical fiber is just "eaten" up at this control value. According to this parameter, meteorological conditions and controlled sag, the allowable span ...

Jan 21, 2026

Aerial Fiber Optic Cable Installation Guide: Hardware Requirements ...

The hanging distance of the optical cable hook is required to be 50 cm with an allowable deviation of no more than ± 3 cm. The overhead fiber optic cable clamps should be evenly hung and ...

May 01, 2026

ADSS Installation Guide

The bending radius of the ADSS is limited; when it is exceeded, the cable will be damaged. The limits for the ADSS bending radius are as follows: 2.3.5 The ADSS is not allowed to ...

Jul 20, 2026

Outside Plant Construction Guide

Description of the ground condition along the route and distances (rocky, sandy, grassy, clay, etc.) - record distances and GPS coordinates. Indicate the distance to the nearest town, where the civil ...

Dec 25, 2025

ADSS Installation Guide

Determine the clearances between the proposed fiber optic cable plant and existing facilities on a case-by-case basis by referring to local safety codes, and your company's standard operating procedures.

Jul 18, 2026

Install 22 ADSS 2017-06-23

The cable storage bracket insures the proper bend radius for the stored fiber optic cable and provides for horizontal storage and tiering of multiple cables and loops.

Mar 16, 2026

ADSS Cable Installation Guidelines | PDF | Cable

This document provides guidelines for installing ADSS optical cables. It discusses safety issues, general guidelines, reel handling, preliminary work, installation ...

Jul 27, 2025

Installation of Solo® ADSS All-Dielectric Self-Supporting Fiber ...

Like other fiber optic cables, ADSS cable weighs less than equivalent copper cables and will tend to sag less over a given aerial span. Because of this, it should occupy the uppermost available ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://ntmmgroup.co.za>

Email: sales@ntmmgroup.co.za

Phone: +27 82 471 2596

Address: Unit 7, Optic Park, 24 High-Tech Lane, Century City, Cape Town,
7441, South Africa

This document is for informational purposes only. Specifications subject to
change without notice.

