


FA Fiber Optic Array Head Adhesive Curing



Overview

Key Features: Optical Adhesive Used for PLC to Fiber Link-up Precision Refraction Index of 1.005, Na-D) Provides Controllability Ultraviolet (UV) Curing Conditions: 10, 30 mW/cm², 5, 10 min Very Little Adhesion Loss Due to Heat or Moisture, Providing. Master Bond offers an extensive line of epoxies and UV curing systems for use in fiber optics devices. These products provide superior bonding strength and excellent optical clarity. Master Bond's adhesives contain no potentially objectionable contaminants and exhibit excellent resistance to. Fiber Array (FA) is a V-Groove (V-groove) substrate that is used to install a bundle of optical fibers or an optical fiber strip on the substrate at a specified interval. The fiber array is machined by placing the bare fiber portion, stripped of the fiber coating, in the V-shaped groove. The Dymax OP-4-20655 Adhesive for Fiber Optic Assembly is a clear, low-shrinkage, UV/visible light-c. NTT-AT's AT3925M, AT9390, AT9968, AT3727E and AT3728E. Fiber optic cables are the arteries of modern data transmission, silently carrying vast amounts of information at the speed of light. From high-speed internet to advanced medical imaging and critical defense systems, their reliability is paramount. To maintain their light transmission properties, they do not yellow or otherwise change in colour with age.



Article Content

Jun 01, 2026

UV curing for fiber optic connectors: 5 pitfalls and fixes

Assembly teams are embracing UV curing for fiber optic connectors because it delivers optically clear, low-stress bonds in seconds—not minutes or hours.

Aug 12, 2025

Adhesives for Fiber Array Assemblies NTT-AT

With viscosities that are appropriate for the usage location, the adhesives for fiber array assemblies are easy to use. While the adhesives for fixing v-grooves show fluidity, the optical fiber fixing adhesives" ...

Jun 11, 2026

Optical Adhesives | Optical Resins | NTT-AT NTT-AT Leading-Edge ...

End of sales of fiber array assembly adhesives (AT3727E and AT3728E will be discontinued when stock runs out. However, sales of AT9390, AT9968, and AT3925M will continue.)

Jan 01, 2026

Could you recommend several types of FA glue for ...

AVENTK 4020 series optical communication FA head adhesive is suitable for adhesion of fiber, GlassPCB and other materials, and can be cured by secondary ...

Sep 16, 2025

Adhesive Applications in Fibre Optics

These adhesives do not readily absorb moisture and feature a high glass transition (Tg) point and low thermal expansion. To allow fast curing after adjustment of the fibreglass cables, these adhesives ...

Dec 17, 2025

Fiber Optic Cable Glue: A Manufacturer's Guide to Incure Adhesives

This blog post will explore the unique demands of fiber optic bonding, outline the types of adhesives used, and demonstrate how Incure provides cutting-edge, UV-curable solutions to ...

Oct 09, 2025

Adhesives & Epoxy for Fiber Optic Connector Termination

Epoxy, anaerobic, UV adhesives such as Epotek 353ND, Tra-con BAF series, Loctite 648, 7649 primer, Hysol 608, and more. Adhesive mixers & syringe dispensers.

Dec 17, 2025

Light-Curable Adhesives for Lens and Fiber Optic Bonding

Dymax high-strength, low-stress, OP-Series optical assembly adhesives cure in seconds upon exposure to UV/Visible light. Dymax optical adhesives are single component, low outgassing, low shrinkage, ...

Jul 02, 2026

UV Cure Optical Adhesives

Explore our UV cure optical adhesives for flexible, general purpose, hybrid (UV & heat cure), positioning, and temporary bonding type adhesives. [Shop Now](#).

Nov 24, 2025

Adhesives for Fiber Optic Applications | MasterBond

Master Bond offers an extensive line of epoxies and UV curing systems for use in fiber optics devices. These products provide superior bonding strength and excellent optical clarity.

Sep 30, 2025

Could you recommend several types of FA glue for optical fiber array?

AVENTK 4020 series optical communication FA head adhesive is suitable for adhesion of fiber, GlassPCB and other materials, and can be cured by secondary heating after UV curing.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://ntmmgroup.co.za>

Email: sales@ntmmgroup.co.za

Phone: +27 82 471 2596

Address: Unit 7, Optic Park, 24 High-Tech Lane, Century City, Cape Town,
7441, South Africa

This document is for informational purposes only. Specifications subject to
change without notice.

